

| Model                                         | TopVent® MH |      |      |      |      |      | Unit |
|-----------------------------------------------|-------------|------|------|------|------|------|------|
|                                               | 6A          | 6B   | 6C   | 9A   | 9B   | 9C   |      |
| Cooling capacity (sensible) ( $P_{rated,c}$ ) | –           | –    | –    | –    | –    | –    | kW   |
| Cooling capacity (latent) ( $P_{rated,c}$ )   | –           | –    | –    | –    | –    | –    | kW   |
| Heating capacity ( $P_{rated,h}$ )            | 13.2        | 18.9 | 29.8 | 22.6 | 28.5 | 46.2 | kW   |
| Total electric power input ( $P_{elec}$ )     | 0.86        | 0.88 | 0.99 | 1.22 | 1.25 | 1.35 | kW   |
| Sound power level ( $L_{WA}$ )                | 81          | 81   | 81   | 80   | 80   | 80   | dB   |

| Model                                         | TopVent® MC |      |      | Unit |
|-----------------------------------------------|-------------|------|------|------|
|                                               | 6-C         | 9-C  | 9-D  |      |
| Cooling capacity (sensible) ( $P_{rated,c}$ ) | 26.5        | 41.0 | 48.6 | kW   |
| Cooling capacity (latent) ( $P_{rated,c}$ )   | 5.6         | 7.3  | 15.2 | kW   |
| Heating capacity ( $P_{rated,h}$ )            | 29.8        | 46.2 | 54.2 | kW   |
| Total electric power input ( $P_{elec}$ )     | 1.12        | 1.42 | 1.54 | kW   |
| Sound power level ( $L_{WA}$ )                | 81          | 81   | 81   | dB   |

| Model                                         | TopVent® MHC |      |      |      |      |      |      |      |      | Unit |
|-----------------------------------------------|--------------|------|------|------|------|------|------|------|------|------|
|                                               | 6-AC         | 6-BC | 6-CC | 9-AC | 9-BC | 9-CC | 9-AD | 9-BD | 9-CD |      |
| Cooling capacity (sensible) ( $P_{rated,c}$ ) | 26.5         | 26.5 | 26.5 | 41.0 | 41.0 | 41.0 | 48.6 | 48.6 | 48.6 | kW   |
| Cooling capacity (latent) ( $P_{rated,c}$ )   | 5.6          | 5.6  | 5.6  | 7.3  | 7.3  | 7.3  | 15.2 | 15.2 | 15.2 | kW   |
| Heating capacity ( $P_{rated,h}$ )            | 13.2         | 18.9 | 29.8 | 22.6 | 28.5 | 46.2 | 22.6 | 28.5 | 46.2 | kW   |
| Total electric power input ( $P_{elec}$ )     | 1.20         | 1.23 | 1.35 | 1.57 | 1.62 | 1.77 | 1.70 | 1.75 | 1.90 | kW   |
| Sound power level ( $L_{WA}$ )                | 82           | 82   | 83   | 82   | 82   | 82   | 82   | 82   | 83   | dB   |

|                 |                                                                                      |
|-----------------|--------------------------------------------------------------------------------------|
| Contact details | Hoval Aktiengesellschaft<br>Austrasse 70, 9490 Vaduz, Liechtenstein<br>www.hoval.com |
|-----------------|--------------------------------------------------------------------------------------|

Product information according to Commission Regulation (EU) 2016/2281, Table 13